



Boise Cascade®
MILLWORK

ATLANTA MILLWORK



Boise Cascade®
MILLWORK



millwork.bc.com

8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

FEATURED PRODUCTS

WHY BOISE CASCADE MILLWORK?

Boise Cascade® Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



TABLE OF CONTENTS

PrismaGuard® Prefinish	1
PrismaGuard® Premium Paint	2
Decorative Glass	3-6
Therma-Tru® Doors	
Classic Craft®	7-18
Decorative Glass	19-22
Therma-Tru® Doors	
Fiber-Classic® Mahogany/Oak	23-26
Smooth-Star®	27-32
Steel-Profiles™/Traditions	33-34
Decorative Glass Transoms	35
Same-Day® Stain	36
10" Sidelites	37
Enliten™ Flush-Glazed Internal Blinds	38
Patio Doors	39
Composite Door Frame	40
Frames & Sills	41
Capabilities	42
Boise Makeover Door Unit from Therma-Tru®	43
SDL Bars	44
Dentil Shelves	45
Multi-Point Locking Systems	46
Handing	47
Pre-Hung Features	48-49
Hinge Locations	50
Simpson Doors	
Mahogany Exterior Doors	51-52
Western Hemlock Exterior Doors	53-54
Redi-Prime® Interior Doors	55-56
Pine Interior Doors	57
Knotty Alder Interior Doors	58-59
Knotty Pine Interior Doors	60
Steves	
Molded and Flush Interior Doors	61-62
Marwin Attic Stairs	63
Casings	64
Penrod Barn Door Hardware	64



Boise Cascade®
MILLWORK




Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.


PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft



Durable
Topcoat



Professional
Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade®
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft



Durable
Topcoat



Professional
Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.
See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.
All trademarks are property of their respective owners.

THERMA-TRU
DOORS



Boise Cascade®
MILLWORK

DECORATIVE GLASS

Villager™



Black Nickel



Brushed Nickel

Privacy Rating 1 (5) 10



Homeward™



Black Nickel



Brushed Nickel

Privacy Rating 1 (4) 10



Arcadia™



Black Nickel



Brushed Nickel



Brass

Privacy Rating 1 (5) 10



Augustine®




Wrought Iron

Privacy Rating 1 (10) 10



Longford™



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Zaha®



Black Nickel



Brushed Nickel

Privacy Rating 1 (3) 10



Lucerna®



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Bella™



Black Nickel

Privacy Rating 1 (6) 10



Arborwatch®



Black Nickel

Privacy Rating 1 (6) 10



Borrassa®



Wrought Iron

Privacy Rating 1 (10) 10



Provincial™



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Boise Cascade®
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

THERMA-TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | 4



Boise Cascade®
MILLWORK

DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10)



Chord (XC)



Privacy Rating 1 (10)



Chinchilla (XJ)



Privacy Rating 1 (10)



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)




Privacy Rating 1 (10)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Simulated Divided Lites (SDL)



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU | 6



Boise Cascade®
MILLWORK

CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CCA2350
Low-E Glass
3'0" x 6'8"



CCA82350
Low-E Glass
3'0" x 8'0"



CCA2360
Low-E Glass
3'0" x 6'8"



CCA82360
Low-E Glass
3'0" x 8'0"



CCA2370
Low-E Glass
3'0" x 6'8"



CCA82370
Low-E Glass
3'0" x 8'0"



CCA4900-SDLF3LE
Low-E Glass
3'0" x 6'8"



CCA84900-SDLF3LE
Low-E Glass
3'0" x 8'0"



CCA4910L-SDLF3LE
Low-E Glass
3'0" x 6'8"



CCA84910L-SDLF3LE
Low-E Glass
3'0" x 8'0"



CCA4910R-SDLF3LE
Low-E Glass
3'0" x 6'8"



CCA84910R-SDLF3LE
Low-E Glass
3'0" x 8'0"



CCA4920L
Low-E Glass
3'0" x 6'8"



CCA84920L
Low-E Glass
3'0" x 8'0"



CCA4920R
Low-E Glass
3'0" x 6'8"



CCA84920R
Low-E Glass
3'0" x 8'0"



CCA4930
Low-E Glass
3'0" x 6'8"



CCA84930
Low-E Glass
3'0" x 8'0"



CCA4940
Low-E Glass
3'0" x 6'8"



CCA84940
Low-E Glass
3'0" x 8'0"



CCA2300
Low-E Glass
3'0" x 6'8"



CCA2300XESL-SDLF4
12", 14" x 6'8"



CCA82300
Low-E Glass
3'0" x 8'0"



**CCA82300XESL-SDLF4
CCA82300SL-SDLF4LE**
Low-E Glass
12", 14" x 8'0"



CCA2310
Low-E Glass
3'0" x 6'8"



CCA2310XESL-SDLF4
12", 14" x 6'8"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |     8



Boise Cascade®
MILLWORK

CLASSIC CRAFT®



CCA82310XESL-SDLF4
CCA82310SL-SDLF4LE
Low-E Glass
12", 14" x 8'0"



CCA82310
Low-E Glass
3'0" x 8'0"



CCA2320
Low-E Glass
3'0" x 6'8"



CCA2320XESL-SDLF3
CCA2320SL-SDLF3LE
Low-E Glass
12", 14" x 6'8"



CCA82320
Low-E Glass
3'0" x 8'0"



CCA2330
Low-E Glass
3'0" x 6'8"



CC90-LE
Low-E Glass
3'0" x 6'8"



CCM891-2W2H
Low-E Glass
3'0" x 8'0"



CCM891-2W3H
Low-E Glass
3'0" x 8'0"



CCM891-2W4H
Low-E Glass
3'0" x 8'0"



CCM891-LE
Low-E Glass
3'0" x 8'0"



CCM209
3'0" x 6'8"



CC922
3'0" x 6'8"



CCA2330XESL-SDLF3
CCA2330SL-SDLF3LE
Low-E Glass
12", 14" x 6'8"



CCA82320XESL-SDLF3
CCA82320SL-SDLF3LE
Low-E Glass
12", 14" x 8'0"



CCA2380
Low-E Glass
3'0" x 6'8"



CCA82380
Low-E Glass
3'0" x 8'0"



CCA2400-LE
Low-E Glass
3'0" x 6'8"



CCA2400XESL
12", 14" x 6'8"



CCA3400SL-LE
Low-E Glass
12" x 6'8"



CCM3302SL
10", 12" x 6'8"



CCM3300SL-LE
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W2H
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W3H
Low-E Glass
10", 12" x 6'8"



CCM3300SL-1W4H
Low-E Glass
10", 12" x 6'8"



CCM200-2W3H-SDLLE
Low-E Glass
3'0" x 6'8"



CCA82400-LE
Low-E Glass
3'0" x 8'0"




CCA82400XESL
CCA82400SL-LE
Privacy Glass
12", 14" x 8'0"



CCA3500SL-LE
Low-E Glass
12" x 8'0"



CC100-LE
Low-E Glass
3'0" x 6'8"



DRS2131SL-LE
Low-E Glass
12", 14" x 6'8"



DRS82131SL-LE
Low-E Glass
12", 14" x 8'0"



CCM203-1D
3'0" x 6'8"



CCR3407SL
12" x 6'8"



Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

CLASSIC CRAFT®



CCV822020-2W2H
3'0" x 8'0"



CCV822020-2W3H
3'0" x 8'0"



CCR20527
3'0" x 6'8"



CCR20537
3'0" x 6'8"



CCR20027
3'0" x 6'8"



CCR20037
3'0" x 6'8"



CCR820537
3'6" x 8'0"



CCR81512
3'6" x 8'0"



CCR1516
3'0" x 6'8"



CCR81516
3'0" x 8'0"



CCR1515
3'0" x 6'8"



CCR81515
3'0" x 8'0"



CCR822215
3'0" x 8'0"



CCM200-2W2H-SDLLE
Low-E Glass
3'0" x 6'8"



CC90-2W3H-SDLLE
Low-E Glass
3'0" x 6'8"



CC90-2W2H-SDLLE
Low-E Glass
3'0" x 6'8"



CCR1415
3'0" x 6'8"



CCR1414
3'0" x 6'8"



CCR20520XN
CCR20520-LE
Low-E Glass
3'0" x 6'8"



CCV9926
3'0" x 6'8"



CCR820520XC
CCR820520-LE
Low-E Glass
3'0", 3'6" x 8'0"



CCR820520-LE
3'0" x 8'0"



CCR820520-2W2H
3'0" x 8'0"



CCR820520-LE
3'0" x 8'0"



CCR804020-2W2H
3'0" x 8'0"



CCR804020-2W3H
3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

CLASSIC CRAFT®



CCM600XE
3'0" x 6'8"



CCR20020-LE
Low-E Glass
3'0" x 6'8"



CCR822220-LE
Low-E Glass
3'0", 3'6" x 8'0"



CCR822220-2W2H
Low-E Glass
3'0", x 8'0"



CCR822220-2W3H
Low-E Glass
3'0" x 8'0"



CCM302L-LE
Low-E Glass
3'0" x 6'8"



CCM302R-LE
Low-E Glass
3'0" x 6'8"



CCM8305CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM306CAL-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM306CAR-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8306CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8306CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8302L-LE
Low-E Glass
3'0" x 8'0"



CCM8302R-LE
Low-E Glass
3'0" x 8'0"



CCM304L-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM304R-SDLF6LE
Low-E Glass
3'0" x 6'8"




CCM8304L-SDLF6-LE
Low-E Glass
3'0" x 8'0"




CCM8304R-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM303L-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM303R-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8303L-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8303R-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM301CAL-LE
Low-E Glass
3'0" x 6'8"



CCM301CAR-LE
Low-E Glass
3'0" x 6'8"



CCM8301CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM8301CAR-SDLF6-LE
Low-E Glass
3'0" x 8'0"



CCM305CAL-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM305CAR-SDLF6LE
Low-E Glass
3'0" x 6'8"



CCM8305CAL-SDLF6-LE
Low-E Glass
3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com

8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | 14



Boise Cascade®
MILLWORK

CLASSIC CRAFT®



CCA210-LE
Low-E Glass
3'0" x 6'8"



CCA210SL-LE
Low-E Glass
12" x 6'8"



**CCA8210XR
CCA8210-LE**
Low-E Glass
3'0" x 8'0"



CCA220-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8220XR-SDL
CCA8220-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA230-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8230XR-SDL
CCA8230-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA240-SDLLE
Low-E Glass
3'0" x 6'8"



CCA220SL-SDLLE
Low-E Glass
12" x 6'8"



CCA260-SDLLE
Low-E Glass
3'0" x 6'8"



**CCA8260XR-SDL
CCA8260-SDLLE**
Low-E Glass
3'0" x 8'0"



CCA87300-SDLLE
Low-E Glass
3'6" x 8'0"



CCA87100-LE
Low-E Glass
3'6" x 8'0"



CCV920-SDLLE
Low-E Glass
3'0" x 6'8"



CCV930-SDLLE
Low-E Glass
3'0" x 6'8"



CCV940-SDLLE
Low-E Glass
3'0" x 6'8"



CCV960-SDLLE
Low-E Glass
3'0" x 6'8"



CCV910-LE
Low-E Glass
3'0" x 6'8"



CCA1125-DDBF5
3'0" x 6'8"



CCA81125-DDBF5
3'0" x 8'0"



CCA1149-DDBF5
3'0" x 6'8"



CCA81149-DDBF5
3'0" x 8'0"



CCA1147-DDBF5
3'0" x 6'8"



CCA1127-DDBF4
3'0" x 6'8"



CCA81127-DDBF4
3'0" x 8'0"



CCA4905-DDBF3
3'0" x 6'8"



CCA84905-DDBF3
3'0" x 8'0"



CCA4915L-DDBF3
3'0" x 6'8"



CCA84915L-DDBF3
3'0" x 8'0"



CCA4915R-DDBF3
3'0" x 6'8"



CCA84915R-DDBF3
3'0" x 8'0"



CCA4925L-DDBF5
3'0" x 6'8"



CCA84925L-DDBF5
3'0" x 8'0"



CCA4925R-DDBF5
3'0" x 6'8"



CCA84925R-DDBF5
3'0" x 8'0"



CCA4935-DDBF5
3'0" x 6'8"



CCA84935-DDBF5
3'0" x 8'0"



CCA4945-DDBF5
3'0" x 6'8"



CCA84945-DDBF5
3'0" x 8'0"



CCA1166-DDBF5
3'0" x 6'8"



CCA81166-DDBF5
3'0" x 8'0"



CCA81147-DDBF5
3'0" x 8'0"



CC91
3'0" x 6'8"



CCR8222
3'0", 3'6" x 8'0"



CCM890
3'0", 3'6" x 8'0"



CCR100
3'0" x 6'8"



CCR8100
3'0", 3'6" x 8'0"



Boise Cascade®
MILLWORK



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276







THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

CLASSIC CRAFT®

							
CCR100R 3'0" x 6'8"	CCR205A 3'0" x 6'8"	CCR205 3'0" x 6'8"	CCR8205 3'0", 3'6" x 6'8"	CCR200 3'0" x 6'8"	CCM60 3'0" x 6'8"	CCV050 3'0" x 6'8"	CCV8220 3'0" x 6'8"
							
CCA81100 3'0", 3'6" x 6'8"	CCA81133-DDBF4 3'0" x 6'8"	CCA81145-DDBF4 3'0" x 6'8"	CCA81150-DDBF3 3'0" x 6'8"	CCA1100 3'0" x 6'8"	CCA1133-DDBF4 3'0" x 6'8"	CCA1145-DDBF4 3'0" x 6'8"	CCA1150-DDBF3 3'0" x 6'8"
							
CCW1000 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW81000 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW900L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8900L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW900R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8900R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW901L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8901L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"
							
CCW8901R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW901R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW902L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8902L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW902R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8902R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW903 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8903 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"

						
CCW904L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8904L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW904R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8904R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW905 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8905 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW906L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"
						
CCW8906L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW906R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8906R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW907L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8907L 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW907R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"	CCW8907R 2'6", 2'8", 2'10", 3'0", 3'6" x 6'8"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |     18



Boise Cascade[®]
MILLWORK

DECORATIVE GLASS

Fiber-Classic[®], Smooth-Star[®], Pulse[®] & Steel Glass

Blackstone[®]



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Crystalline[™]



Brushed Nickel

Privacy Rating 1 (7) 10



Sedona



Black Nickel

Privacy Rating 1 (7) 10



Salinas[®]



Wrought Iron

Privacy Rating 1 (10)



Concorde[™]



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Kensington[™]



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Axis[®]



Black Nickel

Privacy Rating 1 (7) 10



Maple Park[®]



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Saratoga[™]



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Wellesley[™]



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Riserva[®]



Wrought Iron

Privacy Rating 1 (10)



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

THERMA-TRU[®]
DOORS



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276



Boise Cascade®
MILLWORK

DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Geometric (XG)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10)



Chord (XC)



Privacy Rating 1 (10)



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)



Privacy Rating 1 (10)



Low-E Internal Blinds




Screen Vented



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)



Fixed Grilles (FXG)



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.







Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.

														
FCM10-LE FCM10 Low-E Glass 3'0" x 6'8"	FC47SL-LE FC47SL Low-E Glass 10", 12", 14" x 6'8"	81200P Low-E Glass 3'0" x 8'0"	FCM141-RTLE 3'0" x 6'8"	FCM18-GBGFA 3'0" x 6'8"	FC1205XE-SDL FC1205-SDLE FC1205-SDL Low-E Glass 2'6", 2'8", 3'0" x 6'8"	FC5700-SDLF2LE FC5700-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"		FCM32XR FCM32-LE FCM32 Low-E Glass 3'0" x 6'8"	FCM32SL-LE Low-E Glass 12", 14" x 6'8"	FCM881XKSL FCM881SL-LE FCM881SL Low-E Glass 12", 14" x 6'8"	FC766XR FC766-LE FC766 Low-E Glass 3'0" x 6'8"	FC766-2W2H Low-E Glass 2'8", 3'0" x 6'8"	FC766-2W2H Low-E Glass 2'8", 3'0" x 6'8"	FC766-3W4H Low-E Glass 2'8", 3'0" x 6'8"
														
FC85700-SDLF2LE FC85700-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	FC5710-SDLF2LE FC5710-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"	FC85710-SDLF2LE FC85710-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	FC5720-SDLF2LE FC5720-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"	FC85720-SDLF2LE FC85720-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	FC2000SL-1W5H 12", 14" x 6'8"	FC691-SDLF2LE FC691-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"		81964P-RTLE Low-E Glass 3'0" x 8'0"	81946P-GBGFA Low-E Glass 2'8", 3'0" x 8'0"	81943P-LE 81943P Low-E Glass 2'8", 3'0" x 8'0"	FC81943P-2W2H-LE FC81943P-2W2H Low-E Glass 3'0" x 8'0"	FC8313-LE FC8313 Low-E Glass 3'0" x 8'0"	FC8316-LE FC8316 Low-E Glass 3'0" x 8'0"	
														
FC8691-SDLF2LE FC8691-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	FC685L-SDLF2LE FC685L-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"	-SDLF2LE FC8685L-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	FC685R-SDLF2LE FC685R-SDLF2 Low-E Glass 2'6", 2'8", 3'0" x 6'8"	FC8685R-SDLF2LE FC8685R-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	2000-LE 2000 Low-E Glass 2'6", 2'8", 3'0" x 6'8"	8000-LE 8000 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"								





Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK



FCM62-LE
Low-E Glass
3'0" x 6'8"



FCM6041-LE
Low-E Glass
3'0" x 6'8"



FCM8322-LE
Low-E Glass
3'0" x 8'0"



2100-LE
Low-E Glass
2'6", 2'8", 3'0" x 6'8"



FC1350-SDLLE
Low-E Glass
2'6", 2'8", 3'0" x 6'8"



FC2100-3W3H
Low-E Glass
2'8", 3'0" x 6'8"



81933P
2'8", 3'0" x 8'0"



FCM601-LE
Low-E Glass
3'0" x 6'8"



FCM605-LE
Low-E Glass
3'0" x 6'8"



FCM606-LE
Low-E Glass
3'0" x 6'8"



FCM608-LE
Low-E Glass
3'0" x 6'8"



FCM607-LE
Low-E Glass
3'0" x 6'8"



FCM4812-SDLF1LE
Low-E Glass
3'0" x 6'8"



FCM4813-SDLF1LE
Low-E Glass
3'0" x 6'8"



FCM4814-SDLF1LE
Low-E Glass
3'0" x 6'8"



FCM4816-SDLF1LE
Low-E Glass
3'0" x 6'8"



FCM4810-LE
Low-E Glass
3'0" x 6'8"



FCM164
3'0" x 6'8"



FC794
3'0" x 6'8"



FCM31
3'0" x 6'8"



FC809
3'0" x 6'8"



FCM220
3'0" x 6'8"



FCM600
2'8", 3'0" x 6'8"



FCM60
3'0" x 6'8"



FCM860
3'0" x 8'0"



FCM205
3'0" x 6'8"



FCM1000
3'0" x 6'8"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.



thermatru.com | 1-800-THERMA-TRU | 26



Boise Cascade®
MILLWORK

SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

													
S140-LE S140 Low-E Glass 2'8", 3'0" x 6'8", 7'0"	S2000SL-LE S2000SL Low-E Glass 10", 12", 14" x 6'8"	S8140-LE S8140 Low-E Glass 3'0" x 8'0"	S8601SL-LE S8601SL Low-E Glass 12", 14" x 8'0"	S6061-RTLE S6061-RT Internal Blinds 2'8", 3'0" x 6'8", 7'0"	S130SL-RTLE S6061-RTLE Low-E Glass 10", 12", 14" x 6'8"	S82600-LE S82600 Internal Blinds 2'6", 2'8", 2'10", 3'0" x 8'0"	S82-GBGFALE S82-GBGFA 3'0" x 6'8"	S2200-LE S2200 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S90SL-LE Low-E Glass 12", 14" x 6'8"	S82200-LE S82200 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	S2200LE-2W2H S2200-2W2H Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S90SL-1W2H Low-E Glass 12", 14" x 6'8"	
													
S1209-GBGFWLE 2'8", 3'0" x 6'8"	S8000-2W3H 3'0" x 8'0"	S1212-GBGFWLE 2'8", 3'0" x 6'8"	S128-GBGFWLE 2'6", 2'8", 3'0" x 6'8"	S2010SL-SDL 10", 12", 14" x 6'8"	S8000-2W5H 3'0" x 8'0"	S8000-2W6H 3'0" x 8'0"	S82200-2W2H-LE Low-E Glass 3'0" x 8'0"	S2104-SDLLE S2104-SDL Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S90SL-1W3H 12", 14" x 6'8"	S82200-2W3H-LE S82200-2W3H Low-E Glass 3'0" x 8'0"	S2200LE-3W4H S2200-3W4H Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S90SL-1W4H 12", 14" x 6'8"	S82200-3W4H-LE S82200-3W4H Low-E Glass 3'0" x 8'0"
													
S2010SL-SDL 12", 14" x 8'0"	S108-GBGFWLE S108-GBGFW 2'6", 2'8", 3'0" x 6'8"	S8000-3W6H 3'0" x 8'0"	S198-GBGFWLE 2'6", 2'8", 3'0" x 6'8"	S5705-SDLF1LE S5705-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S85705-SDLF1LE S85705-SDLF1 2'6", 2'8", 2'10", 3'0" x 8'0"	S5715-SDLF1LE S5715-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S5730-SDLF2LE S5730-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	S85730-SDLF2LE S85730-SDLF2 Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	S2200LE-PR S2200-PR Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S82200-Prairie-LE S82200-Prairie Low-E Glass 3'0" x 8'0"	S82200-2W4H-LE S82200-2W4H Low-E Glass 3'0" x 8'0"	S881-GBGFALE Low-E Glass 2'8", 3'0" x 8'0"	S881SL-GBGFALE S881SL-GBGFA Low-E Glass 12", 14" x 8'0"
													
S5725-SDLF1LE S5725-SDLF1 2'6", 2'8", 2'10", 3'0" x 6'8"	S85725-SDLF1LE S85725-SDLF1 2'6", 2'8", 2'10", 3'0" x 8'0"	S2000-5130G-LE S2000-5130G 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S2000-5082G-LE S2000-5082G 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S2000-5030GCM-LE S2000-5030GCM 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	S6092 3'0" x 6'8"	S2107-GBGFA 3'0" x 6'8"	S882-FXGLE S882-FXG 2'8", 3'0" x 8'0"	S8682SL-RTLE 12", 14" x 8'0"					



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

SMOOTH-STAR®



S161
2'8", 3'0" x 6'8"



S81929P-LE
S81929P
Low-E Glass
2'8", 3'0" x 8'0"



S6056
3'0" x 6'8"



S6021-LE
Low-E Glass
3'0" x 6'8"



S210SL-LE
Low-E Glass
12", 14" x 6'8"



S86021-LE
S86021
Low-E Glass
3'0" x 8'0"



S104-LE
Low-E Glass
2'8", 3'0" x 6'8", 7'0"



S1650
3'0" x 6'8"



S4812SL-1W2H
Low-E Glass
12", 14" x 6'8"



S4810SL-LE
Low-E Glass
12", 14" x 6'8"



S8601-LE
Low-E Glass
3'0" x 8'0"



S84810SL
12", 14" x 8'0"



S84812-SDLF1LE
Low-E Glass
3'0" x 8'0"



S243
Screen Vented
3'0" x 6'8"



S132-RTLE
S132-RT
Internal Blinds
2'8", 3'0" x 6'8"



S6035-RTLE
S6035-RT
Internal Blinds
2'8", 3'0" x 6'8"



S6055-RTLE
S6055-RT
Internal Blinds
3'0" x 6'8"



S131-RTLE
S131-RT
Internal Blinds
2'8", 3'0" x 6'8", 7'0"



S1350-SDLF1LE
S1350-SDLF1
Low-E Glass
2'8", 3'0" x 6'8"



S8322-GBGFWLE
2'8", 3'0" x 8'0"



S84813-SDLF1LE
Low-E Glass
3'0" x 8'0"



S84814-SDLF1LE
Low-E Glass
3'0" x 8'0"



S84812SL-SDLF1
12", 14" x 8'0"



S84816-SDLF1LE
Low-E Glass
3'0" x 8'0"



S84810-LE
Low-E Glass
3'0" x 8'0"



S6082
3'0" x 6'8"



S999
3'0" x 6'8"



S262-GBGFWLE
S262-GBGFW
2'8", 3'0" x 6'8"



S8321-GBGFWLE
S8321-GBGFW
2'8", 3'0" x 8'0"



S6042-GBGFWLE
S6042-GBGFW
3'0" x 6'8"



S6022-GBGFWLE
S6022-GBGFW
2'8", 3'0" x 6'8"



S8325-GBGFWLE
S8325-GBGFW
3'0" x 8'0"



S289-LE
Low-E Glass
3'0" x 6'8"



S807-GBGFW
3'0" x 6'8"



S2100-PR
2'8", 3'0" x 6'8"



S1411-GBGFA
3'0" x 6'8"



S1405SL-GBGFA
12", 14" x 6'8"



S8326-SDLLE
S8326-SDL
Low-E Glass
3'0" x 8'0"



S8321-GBGFALE
S8321-GBGFA
2'8", 3'0" x 8'0"



S8325-GBGFALE
S8325-GBGFA
3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS


Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU |



Boise Cascade®
MILLWORK

SMOOTH-STAR®



* Select sizes available with elevated 10" bottom rail.



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

THERMA TRU®
DOORS





thermatru.com | 1-800-THERMA-TRU |



Boise Cascade®
MILLWORK

STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.

													
118-LE 118 Low-E Glass 2'8", 2'10", 3'0" x 6'8", 8'0"	130-RTLE 130-RT Internal Blinds 2'8", 2'10", 3'0" x 6'8", 8'0"	829-RTLE 829-RT Internal Blinds 2'8", 3'0" x 8'0"	1201-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	1203-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	128-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	108-GBGFWLE 108-GBGFW 2'8", 2'10", 3'0" x 6'8", 8'0"	8321-GBGFWLE 2'8" x 8'0"	8321-GBGFALE 8321-GBGFA 2'8" x 8'0"	982HD-GBGFWLE 982HD-GBGFW 2'8", 3'0" x 6'8", 8'0"	TS263-GBGFW 2'8", 3'0" x 6'8", 8'0"	TS1411-GBGFA 2'8", 3'0" x 6'8", 8'0"	TS206-LE 2'8", 3'0" x 6'8", 8'0"	
													
828-GBGFWLE 2'8", 3'0" x 8'0"	808-GBGFWLE 2'8", 3'0" x 8'0"	818-LE 818 Low-E Glass 2'6", 2'8", 3'0" x 8'0"	198-GBGFWLE 2'8", 2'10", 3'0" x 6'8", 8'0"	959HD-LE 959HD Low-E Glass 3'0" x 6'8", 8'0"	959SLHD-LE 12" x 6'8", 8'0"	TS627 2'8", 3'0" x 6'8", 8'0"	8206-LE 8206 2'8" x 8'0"	980HD-LE 2'8", 3'0" x 6'8", 8'0"	TS104-LE 2'8", 3'0" x 6'8", 8'0"	TS289-LE 2'8", 3'0" x 6'8", 8'0"	601HD-LE 2'8", 2'10", 3'0" x 6'8", 8'0"	TS255-GBGFW 3'0" x 6'8", 8'0"	TS255-FXG 3'0" x 6'8", 8'0"
													
631HD 2'8", 3'0" x 6'8", 8'0"	TS132-RTLE TS132-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	984HD-RTLE 984HD-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	TS131-RTLE TS131-RT Internal Blinds 2'8", 3'0" x 6'8", 8'0"	TS262-GBGFWLE TS262-GBGFW 2'8", 3'0" x 6'8", 8'0"	8323-GBGFA 2'8" x 8'0"	8322-GBGFWLE 2'8" x 8'0"	TS236-FXG 2'8", 3'0" x 6'8", 8'0"	8317-FXG 2'8" x 8'0"	TS296XG 2'8", 3'0" x 6'8", 8'0"	896XG 2'8" x 8'0"	969HD 2'8", 3'0" x 6'8", 8'0"	978HD 2'8", 3'0" x 6'8", 8'0"	1005HD 3'0" x 6'8", 8'0"
													
205HD 3'0" x 6'8", 8'0"	203HD 2'8", 2'10", 3'0" x 6'8", 8'0"	210HD 3'0" x 6'8", 8'0"	810 2'8" x 8'0"	TS100 3'0" x 6'8", 8'0"	800 2'8", 3'0" x 8'0"								



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA-TRU®
DOORS



Boise Cascade[®]
MILLWORK

DECORATIVE GLASS

Fiber-Classic[®], Smooth-Star[®] & Steel Transoms
(Fits over 10" - 3/0 - 10" width opening.) Note: Transoms will require extended leadtime. All are sash set transoms.



Concorde CNRT-1D (Black Nickel Glass)



Wellesley 19730T-1D (Black Nickel Glass)



Concorde CNRT-1C (Brushed Nickel Glass)



Wellesley 19730T-1C (Brushed Nickel Glass)

Description	Size	Actual Unit Size	Rough Opening
Door w/(2) Sidelites	10" 3/0 10"	59 5/8" x 82"	60 1/2" x 82 1/2"
with 10" Transom	10" 3/0 10"	59 5/8" x 93 1/2"	60 1/2" x 94"
with 12" Transom	10" 3/0 10"	59 5/8" x 95 1/2"	60 1/2" x 96"

Note: Based on Standard Mull Configuration



SAME-DAY[®] STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru[®] fiberglass doors.


Shown on Classic Craft[®] Fir Grain



Light Oak



Natural Oak




Walnut




English Walnut



Mahogany



Cherry



Cedar



Unfinished rose color
Classic Craft mahogany skin



Unfinished tan colored
Classic Craft and
Fiber-Classic skin



5 YEAR
LIMITED
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the limited warranty and exclusions.



Boise Cascade[®]
MILLWORK

10" SIDELITES

10" x 6'8" EnLiten™ Flush-Glazed Sidelites –
Classic Craft® Mahogany Grain & Smooth-Star®



Arcadia
CCM3309SL ▲
(1D, 1C, 1A)



Bella
CCM3310BSL ▲
(1D)



Longford
CCM3303SL
▲(1D)



Longford
CCM3303SL
▲(1C)



Lucerna
CCM3302SL
▲(1D, 1C)



Zaha
CCM1843SL
▲(1D, 1C)



Low-E
CCM3300SL-4LT-SDL ▲
(LE, SDL)
(Any SDL pattern available)



Low-E
CCM3300SL ▲
(LE)



Privacy /
Low-E /
Clear
S2000SL ▲
(XC, XN, LE, CL)

10" x 6'8" Fiber-Classic®, Smooth-Star® &
Steel Sidelites – Insert Glass



Blackstone
FCM808SL
FC108SL
(1D, 1C)



Maple Park
FCM812SL
FC900SL
(1D, 1C)



Saratoga
FCM815SL
FC905SL
(1D, 1C)



Wellesley
FCM818SL
FC104SL
(1D, 1C)



Wellesley
S5870SL
TS620SL
(1D, 1C)



Concorde
S4070SL
TS416SL
(1D)



Kensington
S6132SL
TS626SL
(1D)



Axis
S1651SL
TS1651SL
(1D)



Privacy /
Low-E /
Clear
S601SL
TS100SL
(XG, XE, XR,
XN, LE, CL)

Note: Items denoted in RED add one week to existing lead time if not in stock.

Features / Options Key

▲ Flush-Glazed Glass	XG Geometric Glass	XN Granite Glass
1D Black Nickel Caming	XE Etched Glass	LE Low-E
1C Brushed Nickel Caming	XC Chord Glass	CL Clear Glass
1A Brass Caming	XR Rainglass	SDL Simulated Divided Lites

ENLITEN™ FLUSH-GLAZED INTERNAL BLINDS

Smooth-Star® doors with internal blinds featuring EnLiten™ flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.


Flush-glazed internal blinds are available in Smooth-Star full size width 3/0, 2/8, 2/6, 6/0, 5/4, 5/0 x 6/8, 6/6, and 8/0 in clear IG.

Opening	Description	Retro Inswing Patio Actual Size*
4/8 x 6/6	Patio Door Unit (with mull)	58 13/16" x 79 1/2"
5/8 x 6/6	Patio Door Unit (with mull)	70 13/16" x 79 1/2"
4/8 x 6/6	Double Door Unit (with astragal)	58 9/16" x 79 1/2"
5/8 x 6/6	Double Door Unit (with astragal)	70 9/16" x 79 1/2"


Retro size screens available.




Left Hand
Astragal




Astragal
Right Hand




Left Hand
Fixed Panel



Right Hand
Fixed Panel



Fixed Panel
Left Hand



Fixed Panel
Right Hand



*Outswing units are 78-5/8" in height.
Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

THERMA TRU[®]
DOORS



Boise Cascade[®]
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276



Boise Cascade®
MILLWORK

PATIO DOORS

Smooth-Star®
Retro Size & Full Size
Any of the 5/4 or larger width doors are also capable of using decorative glass.



Insert Type Glass Doors
Low-E
S108 (LE, SDL, GBGFW, FXG)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors
Low-E
S128 (LE, SDL, GBGF / GBGC)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"

Smooth-Star®
EnLiten™ Flush-Glazed Designs
Retro Size & Full Size
Any of the 5/4 or larger width doors are also capable of using decorative glass.



Flush-Glazed
Low-E
S2000 ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6",
6'8", 8'0"



Flush-Glazed
Low-E
S2000-2W2H ▲ (LE, SDL)
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6",
6'8", 8'0"



Insert Type Glass Doors
Low-E
S118 (LE)
4'0", 4'8", 5'0", 5'4", 5'8",
6'0" x 6'6", 6'8"



Insert Type Glass Doors
Internal Blinds
S130 (LE)
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6",
6'8"

S2600 Flush-Glazed Internal
Blind Option



Flush-Glazed
Low-E
S2000-2W3H ▲ (LE, SDL)



Flush-Glazed
Low-E
S2200-2W2H ▲ (LE, SDL)
Available 5'0", 5'4", 6'0" or 5'0"
makeover size outside of frame
60 1/2" x 82". Height can be cut
down further. Makeover size
replaces a 60 1/2" width or larger
10"-3/0-10" sidelite unit. Please
specify outside jamb width.

Features / Options Key

- | | | |
|----------------------|---|--|
| ▲ Flush-Glazed Glass | SDL Simulated Divided Lites | GBGF / GBGC Flat or Contoured White or Color Grilles Between Glass |
| LE Low-E | GBGFW Flat White Grilles Between Glass Only | FXG Fixed Grilles |

Note: Product images show exterior side of door.

COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology



1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

TRU GUARD™
COMPOSITE TECHNOLOGY



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a B composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.


Available Textures

Buff Grained



- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.

White Smooth



- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

Therma-Tru Products & Applications

Composite Door Frame
+ Classic Craft® Door
+ Components

Composite Door Frame
+ Fiber-Classic®, Smooth-Star®,
Pulse® Fiberglass Door + Components

Warranty
For First Homeowner



Frame + Door + Components



Frame + Door + Components

Warranty Riders
Transferable 1x to Second
Homeowner

Lifetime 1x Transferable
Full-System Rider

Frame + Door + Components

10-Year Transferable
Full-System Rider

Frame + Door + Components

*See your Therma-Tru seller for details on product availability.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276



Boise Cascade®
MILLWORK

FRAMES & SILLS

Frames

Boise offers a wide variety of frames to choose from:



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame. (Limited lifetime warranty)

TRU GUARD™
COMPOSITE TECHNOLOGY



Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

Inswing Options



Value Composite Adjustable Sill
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



Composite Adjustable Sill
Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



Composite Adjustable Sill
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.




Public Access Sill
(Mill, No Thermal Break)



Public Access Sill
(Bronze, No Thermal Break)

Outswing Options



Composite Outswing Sill
(Bronze, Dark Wood Cap)

Outswing Sill Extender




2"
Finishes:
Darkwood (Premium)

Boise will typically build on a continuous sill, but boxed units are available upon request. Continuous sills are limited to 12 foot.

CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard 5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Thermo-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276



Boise Cascade®
MILLWORK

BOISE CASCADE MILLWORK MAKEOVER DOOR UNIT FROM THERMA-TRU®.

Before

After

Create a grand entrance by updating your home with Therma-Tru® double doors featuring EnLiten™ flush-glazed designs.

- Available for outside jamb units measuring 60-½" x 82" or larger or for units with a 10" transom, 60-½" x 93-½" or larger.
- Transform a single door and sidelites (10" x 36" + 10") to a double door entry (30" x 30"). Available in standard height or with a 10" transom.
- Features EnLiten flush-glazed designs with glass built directly into the door for a seamless look.

See your Boise Cascade representative for style options and pricing information.

Available Now: Brushed Finish

Boise Cascade Atlanta now offers a unique wood-grained look that is smooth to the touch. PrismaGuard® premium brushed finish uses a hand-applied technique to create the appearance of a straight, fine-grained wood on select Smooth-Star® doors.



Dark Maple (Brushed)



Shale (Brushed)



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

SDL BARS

Each bar is coped and mitred for a precision fit...with numerous patterns available to select from. Boise stocks 7/8" Colonial (stainable & paintable), 1-1/4" Colonial (stainable & paintable), 7/8" Putty (paintable) and Therma-Tru® CCA & CCV 1-5/8" SDL bars available on CCA and CCV Craftsman doors and sidelites only.

1-1/4" Colonial Paintable	7/8" Colonial Paintable	1-1/4" or 7/8" Putty Glazed (Historical) Paintable	1-1/4" Colonial Stainable	7/8" Colonial Stainable	1-5/8" CCA Stainable	1-5/8" CCV Paintable

SDL Bar Options – High Heat Composite

Classic Craft

(40.64 mm / 1-3/5 in.) Look for the (SDL) designation.	(107.95 mm / 4-1/4 in.) Look for the (SDLF3) designation.	(139.70 mm / 5-1/2 in.) Look for the (SDLF4) designation.	(40.64 mm / 1-3/5 in.) Look for the (SDLF6) designation.	(40.64 mm / 1-3/5 in.) Look for the (SDL) designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) designation.

Fiber-Classic	Smooth-Star	Smooth-Star	Fiber-Classic	Smooth-Star
	(31.75 mm / 1-1/4 in.) (22.225 mm / 7/8 in.) Look for the (SDL) designation. HHC SDL will come in black and can be painted.	(1-1/8 in.) (31.75 mm / 1-1/4 in.) (22.225 mm / 7/8 in.) Look for the (SDLF1) designation. HHC SDL will come in black and can be painted.		(88.9 mm / 3-1/2 in.) Look for the (SDLF2) designation.

GBG Bar Option

Flat

(20 mm / 7/8 in.)

GBG Color Options

White	Almond	Bronze
Black	Tan*	Stone*

Black GBGs now available in select grid patterns.

Frame Options

Choose the flat profile for modern appeal or scrolled profile for vintage style.

Flat Profile Lite Frame	Scrolled Profile Lite Frame




Boise Cascade®
MILLWORK

DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Classic Craft



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf*

*Pairs with 3'6" wide doors.



Classic Craft® Canvas 4-Block Dentil Shelf

Fiber-Classic & Smooth-Star



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*


*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



MULTI-POINT LOCKING SYSTEMS (MPLS)

Lever-Style MPLS

Exterior Handlesets



Heirloom Venture Millennium


Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

Standard Door Options



Tongue
(For single door systems.)


Shootbolt
(For double door systems.)



Exterior view of door with lever-style MPLS.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options




Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

Grip-Style MPLS

Handlesets




Forte Prospect

Standard Door Options



Tongue
(For single door systems.)
Heights: 6'8" 7'0" 8'0"

Configurations:
Inswing Outswing



Interior view of door.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double french doors.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276




Boise Cascade[®]
MILLWORK


HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.

2. Therma-Tru[®] bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.

3. In-swing unit with corner seal pads.

4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft[®] door systems have ball-bearing radius/radius hinges).

5. Compression bronze weatherstrip.

6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.

8. Sill cover (not included on fixed doors).

9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.

10. Installation instructions.

11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.

12. Inactive door is not bored.

13. Door with sidelites feature continuous composite adjustable sill.

PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and PVC brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand



Boise Cascade[®]
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276



PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Lock Preparation:


2-3/8" Backset

2-18" Face Bore

2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

HINGE LOCATIONS





Boise Cascade®
MILLWORK

MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7404 Shaker
Satin Etch IG
3'0" x 6'8"



7405 Shaker
Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7801
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37504
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37802
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37506 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37803
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7506
DHRP and Low-E Bevel
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37508 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37804
DHRP and Low-E
12" x 6'8"
12" x 8'0"



9541
Dentil Shelf
for 3'0" doors



6801
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175
DHRP and Low-E
12" x 6'8"
12" x 8'0"



36802 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 SDL
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7002
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7506 Double Arch Top Unit
DHRP and Low-E Bevel
5'0" x 8'0"
5'4" x 8'0"
6'0" x 8'0"



7403 Shaker ★
Satin Etch IG
3'0" x 6'8"




37104 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37122 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37106 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37108 ★
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SQUARE STICKING WITH FLAT PANEL
SDL = SIMULATED DIVIDED LITE
TDL = TRUE DIVIDED LITE

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade®
MILLWORK

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"; 2'6",
2'8", 3'0" x 8'0"



7701
Low-E
12" x 6'8"
12" x 8'0"



37104 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37122 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37106 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37108 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37010 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



7404 Shaker
TDL
Satin Etch IG
3'0" x 6'8"



7405 Shaker
TDL
Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7801
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37598 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37504 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37802
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37506 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37803 SDL
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37508 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37804
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7044
DHRP and Low-E
2'8", 3'0" x 6'8"



37444 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



37944 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



6801 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175 Shaker
FP and Low-E
12" x 6'8"
12" x 8'0"



36802 Shaker
SDL
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36803 Shaker
SDL
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36804 Shaker
SDL
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker
SDL
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7130
DHRP
3'0" x 6'8"



9541
Dentil Shelf for
3'0" and 3'6" doors



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SQUARE STICKING WITH FLAT PANEL
SDL = SIMULATED DIVIDED LITE
TDL = TRUE DIVIDED LITE

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade[®]
MILLWORK

REDI-PRIME[®] INTERIOR DOORS

All Redi-Prime[®] interior doors are 1-3/8" thick and are stocked in the sizes noted.
Redi-Prime fire-rated doors are stocked 1-3/4" thick.



8720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



REDI-PRIME[®] INTERIOR DOORS (CONTINUED)

All Redi-Prime[®] interior doors are 1-3/8" thick and are stocked in the sizes noted.
Redi-Prime fire-rated doors are stocked 1-3/4" thick.



8490
Pantry
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8001 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8001 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8411 ★
White Laminat
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"; 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8411 Shaker Quirk ★
White Laminat
2'0", 2'4", 2'6", 2'8", 3'0"
x 6'8"; 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8490 (8'0") ★
Pantry with 3/8" FP
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8010 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8012 ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8015 ★
Clear SG
2'4", 2'6", 2'8", 3'0"
x 6'8"



8018 ★
Clear SG
2'6", 2'8", 3'0" x 8'0"



8733 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8733 Shaker ★
White Laminat
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8735 Shaker ★
Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8735 Shaker ★
White Laminat
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade®
MILLWORK

PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.

					
1590 Pantry 2'0", 2'4", 2'6", 3'0" x 6'8"	1305 Clear SG 1'6" x 6'8"	1310 Clear SG 2'0" x 6'8"	1312 (8'0") Clear SG 2'0" x 8'0"	1315 Clear SG 2'6", 2'8", 3'0" x 6'8"	1318 Clear SG 2'6", 2'8", 3'0" x 8'0"
					
720 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	782 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	760 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	755 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	82 ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	465 ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
					
44 ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	66 ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 ★ Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 Shaker ★ Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	1501 ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	1501 Shaker Quirk ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"
					
1590 (8'0") ★ Pantry with 3/4" RP 2'0", 2'4", 2'6", x 8'0"	1593 ★ Laundry 2'8", 3'0" x 6'8"	1593 (8'0") ★ Laundry with 3/4" RP 2'8", 3'0" x 8'0"			

KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



			
720 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	9320 Shaker ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	782 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	
			
9382 Shaker ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	730 Shaker ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	9330 Shaker ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	
			
82 ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	9282 ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	82V V-Groove ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	9282V V-Groove ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"
			
465V V-Groove ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"; 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	9265V V-Groove ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	7465 ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	7465 V-Groove ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"; 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL



millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade®
MILLWORK

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



80801 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



1590 ★
Pantry
2'0", 2'4",
2'6" x 6'8"



1593 ★
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



KNOTTY PINE INTERIOR DOORS

We offer the rustic look of Knotty Pine, the traditional look of Clear Pine and the more contemporary look of the Primed flat panel shakers. Primed doors can be painted to match any color scheme. Barn Doors are available in a number of patterns.

U-Groove Available in 3/0 x 8/0.



Z-Brace



X-Brace



Half Z-Brace



Half X-Brace



Double Z-Brace



Mid-Bar



British Brace

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.



Boise Cascade[®]
MILLWORK

MOLDED AND FLUSH INTERIOR DOORS

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



Carrara
HC & SC 6/8 & 8/0



Caiman
HC & SC 6/8 & 8/0



Rockport
HC & SC 6/8 & 8/0




Colonist
Textured HC & SC 6/8



Santa Fe
HC & SC 6/8 & 8/0

BEAD & COVE



Madison
HC & SC 6/8 & 8/0



Monroe
HC & SC 6/8 & 8/0



Birkdale
HC & SC 6/8 & 8/0



Craftsman
HC & SC 6/8

SHAKER SQUARE



Conmore
HC & SC 6/8 & 8/0

DOUBLE SMOOTH STEP

MOLDED AND FLUSH INTERIOR DOORS (CONTINUED)



Birch
HC & SC 6/8



Lauan
HC & SC 6/8 & 8/0


Birch

Lauan



STICKING PROFILES




Bead & Cove



Ovolo



Shaker



Double Smooth Step



Boise Cascade[®]
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, GA 30011
833-375-0276

† - Two week lead time. In stock in Dallas.

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.





MARWIN ATTIC STAIRS

Item	Size	Description
0804100	22-1/2X54X8-9	A80 ATLAS STAIR 250 LB. DUTY RATING
0804105	22-1/2X54X10	A81 ATLAS STAIR 250 LB. DUTY RATING
0804110	25-1/2X54X8-9	A100 ATLAS STAIR 250 LB. DUTY RATING
0804115	25-1/2X54X10	A101 ATLAS STAIR 250 LB. DUTY RATING
0804165	22-1/2X54X10	A81FT ATLAS STAIR FIRETREATED
0804170	25-1/2X54X8-9	A100FT ATLAS STAIR FIRETREATED
0804175	25-1/2X54X10	A101FT ATLAS STAIR FIRETREATED
0804190	25-1/2X54X8-9	S100 SUPERIOR STAIR 300 LB.DUTY RATING
0804195	25-1/2X54X10	S101 SUPERIOR STAIR 300 LB.DUTY RATING
0804197	25-1/2X54X8'9"	SUPERIOR ATTIC STAIR 300 LB RATED
0804198	25-1/2X54X10'	SUPERIOR ATTIC STAIR 300 LB RATED
0804212	25-1/2X54X10'4"	TITAN ALUM 375 DUTY FIRE TREATED
0804214	22-1/2"X54"X10'	TITAN ALUM ATTIC STAIR FIRETREATED
0804217	25-1/2"X54"X8-9"	TITAN ATTIC STAIR ALUM FIRETREATED 350LB
0804220	25-1/2X63X12	T2512FT TITAN ALUM STAIR FIRETREATED DR
0804235	25-1/2X54X8-9	S100FT SUPERIOR STAIR 300LB FIRE RATED
0804245	25-1/2X60X10'-9"	SUPERIOR PLUS STAIR 350LB FIRE RATED
0804246	25-1/2X54X8-9	SUPERIOR PLUS STAIR 350 LB FIRE RATED
0804247	25-1/2X54X10	SUPERIOR PLUS STAIR 350 LB FIRE RATED
0804248	25-1/2X54X8-9	SUP PLUS 350 LB STAIR ENERGY SVR R10
0804249	25-1/2X54X10	SUP PLUS 350 LB STAIR ENERGY SVR R10
0804257	25-1/2X54X8'9"	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804258	30X54X8'9"	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804259	30X54X10'	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804400	30"X54"X10'	s201FT MARWIN ATTIC STAIR WOOD 300#
0804454	25-1/2X54X10'	S-101ESR10 SUPERIOR STAIR 300 LB RATED
0804455	25-1/2X54X10'	SUPERIOR ENERGY SAVER R-10 FIRE TREATED
0804667	25-1/2X54X10	A101ESFT ATLAS STAIR W/ENERGY FIRETREAD
0804677	30X63X12	TITAN ALUM ES ATTIC STAIR FIRETREATED
0804693	25-1/2X54X10'	SUPERIOR ATTIC STAIR 300LB ENRGY RTD
0804703	30X54X10'	SUPERIOR PLUS ENERGY SAVER FIRE TRTD
0804975	25-1/2"X45"	TELESCOPIC ATTIC STAIR 8'-10' ADJ R10&FT

CASINGS



1x4 (11/16"x3-1/2")
with Backband - Primed Only



445 Casing (21/32"x37/32")
FJ & Primed



366 Casing (11/16"x2-1/4")
Primed Only




RB3 Casing (11/16"x3-1/2")
FJ & Primed



444 Casing (11/16"x3-1/4")
FJ & Primed



356 Casing (21/32"x2-1/4")
FJ & Primed



399 Casing (9/32"x37/32")
Primed Only



1x4 Casing (21/32"x3-1/2")
Primed Only



1x6 Casing (21/32"x5-1/2")
Primed Only

PENROD BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK

